



WCAG 2.1 Level AA Success Criteria

COMPLIANCE AUDIT

For besthigh.tech | Verdict: **Compliant!**

accessiBe is the web accessibility **market leader**, powering the accessibility of **tens-of-thousands** of websites, from **small businesses** to industry-leading **enterprises**.

This audit evaluates the adherence level of **besthigh.tech** as of Sat Oct 22 2022, to the "Web Content Accessibility Guidelines" (WCAG) 2.1 level AA success criteria.

Below you'll find the results for dozens of tests that focus mainly on 3 categories: **screen-reader** adjustments (for blind users), **keyboard navigation** adjustments (for the motor impaired) and **UI, design, and readability** adjustments (for the vision impaired).

#	Requirement	Relevant	Successes	Failures	Score
1	Elements that behave as buttons but are built using other tags such as span, div, a or others, should include a "role" attribute that equals to "button".	Yes	37	0	100%

Code snapshots of some successful elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub
menu " id="sm-16664632124982952-1" aria-controls="sm-16664632124982952-2
data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded...
```

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub
menu " id="sm-16664632124982952-3" aria-controls="sm-16664632124982952-4
data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded...
```

```
<span class="wpsr_read_more " tabindex="0" role="button">Read more</span>
```

```
<div class="jet-listing-grid_slider-icon prev-arrow slick-arrow " role
="button" style="" tabindex="0" ><span data-="true" " aria-label=" Previo
us ">Previous</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/20
00/svg" aria-hidden="true" da...
```

```
<div class="jet-listing-grid_slider-icon next-arrow slick-arrow " role
="button" style="" tabindex="0" ><span data-="true" " aria-label=" Next
">Next</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg"
aria-hidden="true" data-acsb-...
```

```
<a href="#" role="button">     Read more</span>
```

```
<div class="jet-listing-grid__slider-icon prev-arrow slick-arrow " role="button" style="" tabindex="0" ><span data-="true" " aria-label=" Previous ">Previous</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" da...
```

```
<div class="jet-listing-grid__slider-icon next-arrow slick-arrow " role="button" style="" tabindex="0" ><span data-="" true" " aria-label=" Next">Next</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-...
```

```
<a href="#" role="button">       ? ?????"</a>
```

```
<a href="https://besthigh.tech/%d7%a0%d7%a2%d7%99%d7%9d-%d7%9c%d7%94%d7%9b%d7%99%d7%a8/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">???? ??"</a>
```

```
<a href="https://besthigh.tech/%d7%aa%d7%99%d7%a7-%d7%a2%d7%91%d7%95%d7%93%d7%95%d7%aa/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">????? ??"</a>
```

```
<a href="https://besthigh.tech/%d7%a0%d7%92%d7%99%d7%a9%d7%95%d7%aa-%d7%90%d7%aa%d7%a8%d7%99-%d7%90%d7%99%d7%a0%d7%98%d7%a8%d7%a0%d7%98/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">????? ??"</a>
```

```
<a href="https://besthigh.tech/%d7%91%d7%9c%d7%95%d7%92-%d7%91%d7%a0%d7%99%d7%99%d7%aa-%d7%90%d7%aa%d7%a8%d7%99%d7%9d-%d7%95%d7%a7%d7%99%d7%93%d7%95%d7%9d-%d7%90%d7%aa%d7%a8%d7%99%d7%9d/" class="elementor-item menu-link " data-acsb-menu="a" data-a...
```

```
<a href="https://besthigh.tech/%d7%a1%d7%a8%d7%98%d7%95%d7%a0%d7%99-%d7%aa%d7%93%d7%9e%d7%99%d7%aa-%d7%91%d7%90%d7%a0%d7%99%d7%9e%d7%a6%d7%99%d7%94/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">???? ??"...
```

```
<a href="https://besthigh.tech/%d7%a6%d7%95%d7%a8-%d7%a7%d7%a9%d7%a8/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">??? ??"</a>
```

```
<a class="elementor-icon " href="tel:0504253300" > <span data-="true" " aria-label=" ??"<" ??"??" ??"</span><i class="fas fa-phone-alt " aria-hidden="true" data-acsb-force-hidden="true"></i> </a>
```

```
<a class="wpsr-reviewer-image-url" target="_blank" rel="noopener noreferrer nofollow" href="https://search.google.com/local/reviews?placeid=ChIJvfXWtS0jHBURtCUQUAjgxnE" data-acsb-tooltip="?? ??" > <span data-="true" " aria-label=" search ...
```

attribute or a screen-reader only element

explaining to screen-readers that this opens in a new tab.

Code snapshots of some successful elements

```
<a class="wpsr-reviewer-image-url" target="_blank" rel="noopener noreferrer nofollow" href="https://search.google.com/local/reviews?placeid=ChIJvfXWtS0jHBURtCUQUAjgxnE" data-acsb-tooltip="?? ???? ??" > <span data-="true" " aria-label=" search ...
```

```
<a class="wpsr-reviewer-name-url" target="_blank" rel="noopener noreferrer" href="https://search.google.com/local/reviews?placeid=ChIJvfXWtS0jHBURtCUQUAjgxnE" data-acsb-tooltip="?? ???? ??" > <span data-="true" " ar ia-label=" search ">search??....
```

```
<a class="wpsr-reviewer-image-url" target="_blank" rel="noopener noreferrer nofollow" href="https://www.facebook.com/101309691731838/reviews" data -acsb-tooltip="?? ???? ??" > <span data-="true" " aria-label=" Facebo ok ">Facebook? ? ? ? ? ? ? ? <...</span></a>
```

```
<a class="wpsr-reviewer-name-url" target="_blank" rel="noopener noreferrer" href="https://www.facebook.com/101309691731838/reviews" data-acsb-tool tip="?? ???? ??" > <span data-="true" " aria-label=" Facebook ">Faceb ook? ? ? ? ? ? ? ? </span><spa...
```

5	An H1 title provides information to blind-users using screen-readers of what the main topic of the page is and each page should have exactly one H1 title.	Yes	Pass	-	100%
---	--	-----	------	---	------

Code snapshots of some successful elements

```
<h1 class="elementor-heading-title elementor-size-default ">? ???? ???? ???? ????</h1>
```

6	HTML title elements (H1-6) should have texts. If images or links are used, they should include an alternative or screen-reader only text.	Yes	35	0	100%
---	---	-----	----	---	------

7	Elements that visually appear as titles but are coded with a non-heading HTML Tag should include a "role" attribute that equals to "heading" or have their tags fixed.	No	0	0	-
8	Title levels should not be skipped and should be built with consistent hierarchy. For example: you cannot have "h4" titles and "h2" titles without having "h3" titles.	No	0	0	-
9	Interactive elements such as links, buttons and form fields should all be navigable using the keyboard by either using a focusable element (a, button, input, etc.) or including the "tabindex" attribute that equals to "0".	Yes	18	0	100%

Code snapshots of some successful elements

```
<span class="wpsr_read_more " tabindex="0" role="button">Read more</span>
```

```
<div class="jet-listing-grid__slider-icon prev-arrow slick-arrow " role="button" style="" tabindex="0" ><span data-="true" " aria-label=" Previous ">Previous</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" da...
```

```
<div class="jet-listing-grid__slider-icon next-arrow slick-arrow " role="button" style="" tabindex="0" ><span data-="true" " aria-label=" Next ">Next</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-...
```

```
<div class="elementor-share-btn elementor-share-btn_facebook " tabindex="0" role="button"> <span data-="true" " aria-label=" ? ???? facebook "> ? ???? facebook</span><span class="elementor-share-btn__icon " aria-hidden="true" data-acsb-force-...
```

```
<div class="elementor-share-btn elementor-share-btn_email " tabindex="0" role="button"> <span data-="true" " aria-label=" ? ???? email ">? ???? email</span><span class="elementor-share-btn__icon " aria-hidden="true" data-acsb-force-hidden="t...
```



```
<div class="elementor-share-btn elementor-share-btn_whatsapp " tabindex="0" role="button"> <span data-="true" " aria-label=" whatsapp "> whatsapp</span><span class="elementor-share-btn__icon " aria-hidden="true" data-acsb-force-...
```

10	Interactive elements that can be navigated using the keyboard should be surrounded by a visual outline whenever they are focused.	Yes	Pass	-	100%
11	Active popups should include an "aria-modal" attribute that equals to "true", and a "role" attribute that equals to "dialog", so screen-reader users know how to navigate within it.	No	0	0	-
12	Every page should include hidden links that by clicking on them (either using keyboard navigation or a screen-reader), the user will "skip" certain blocks directly to main landmarks such as main content, menu or footer.	Yes	Pass	-	100%
13	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should be wrapped inside an element with an "aria-hidden" attribute that equals to "false", or include it directly, and have it dynamically changed to "true" when they become visible.	No	0	0	-
14	Elements that are hidden using CSS manipulations (opacity, height, text-indent, off-canvas, etc.) should include a "tabindex" attribute that is below 0, and have it dynamically changed to 0 when they become visible.	No	0	0	-
15	Menus should either be built using the HTML5 "nav" element or include a "role"	Yes	5	0	100%

Code snapshots of some successful elements

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-horizontal e--pointer-background e--animation-none" role="navigation" aria-label="1) 1) 1) 1) 1)"> <ul id="menu-1-528a80c" clas...
```

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="2) 2) 2) 2) 2)"> <ul id="menu-1-e67106b" class="elementor-nav-menu sm...
```

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="2) 2) 2) 2) 2)"> <ul id="menu-1-d609c98" class="elementor-nav-men...
```

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="3) 3) 3) 3) 3)"> <ul id="menu-1-545f466" class="elementor-nav-men...
```

```
<nav migration_allowed="1" migrated="0" class="elementor-nav-menu--main elementor-nav-menu__container elementor-nav-menu--layout-vertical e--pointer-none" role="navigation" aria-label="4) 4) 4) 4) 4)"> <ul id="menu-1-c723eb5" class="elementor-nav-men...
```

16

Menu items that have a dropdown menu include an "aria-haspopup" attribute that equals to "true".

Yes

2

0

100%

Code snapshots of some successful elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-submenu " id="sm-16664632124982952-1" aria-controls="sm-16664632124982952-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded...
```

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub
menu " id="sm-16664632124982952-3" aria-controls="sm-16664632124982952-4
data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded...
```

17	Menu items that have a dropdown menu include an "aria-expanded" attribute that equals to "false" that changes to "true" and back when opening or closing the dropdown.	Yes	2	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub
menu " id="sm-16664632124982952-1" aria-controls="sm-16664632124982952-2
data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded...
```

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub
menu " id="sm-16664632124982952-3" aria-controls="sm-16664632124982952-4
data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-has
popup="true" aria-expanded...
```

18	Images should have an alternative text description that describes both the objects and the embedded text that the image contains, using the "alt" attribute.	Yes	2	0	100%
----	--	-----	---	---	------

Code snapshots of some successful elements

```

```

19	Background images that are not just for decoration purposes and should have the	No	0	0	-
----	---	----	---	---	---

"img" and an alternative text description in an "aria-label" attribute.

20	Font icons, SVG or images that are being used as spacers, decorations or their purpose is already described by the content should include a "role" attribute that equals to "presentation" or "none".	Yes	2378	0	100%
----	---	-----	------	---	------

Code snapshots of some successful elements

```
<span class="sub-arrow " aria-hidden="true" data-acsb-force-hidden="true" ><i class="fas fa-caret-down" aria-hidden="true" data-acsb-force-hidden="true" ></i></span>
```

```
<i class="fas fa-caret-down" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<span class="sub-arrow" aria-hidden="true" data-acsb-force-hidden="true" ><i class="fas fa-caret-down" aria-hidden="true" data-acsb-force-hidden="true" ></i></span>
```

```
<i class="fas fa-phone-alt " aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i aria-hidden="true" class="fas fa-phone-alt " data-acsb-force-hidden="true" ></i>
```

```
<i class="fas fa-bars" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="fas fa-times" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="fas fa-phone" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

```
<i class="far fa-envelope" aria-hidden="true" data-acsb-force-hidden="true" ></i>
```

27	The validity status of every form element must be represented in the code at all times using the "aria-invalid" attributes and the "true/false" values, and change dynamically when the status changes.	No	0	0	-
----	---	----	---	---	---

28	aria-describedby and aria-labeledby attributes should be connected by ID to an element that either has text description or an "aria-label" attribute.	Yes	4	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16664632124982952-2" role="region" aria-hidden="true" aria-labelledby="sm-1664632124982952-1" data-acsb-menu="ul" data-acsb-dropdown="a4lzkkeu2ayc" aria-label="???? ?????" > <li ...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown acsb-hidden " id="sm-16664632124982952-4" role="region" aria-hidden="true" aria-labelledby="sm-1664632124982952-3" data-acsb-menu="ul" data-acsb-dropdown="atzdcrxr9zg" aria-label="???? ?????" > <li c...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16664632125077314-2" role="group" aria-hidden="true" aria-labelledby="sm-16664632125077314-1" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

```
<ul class="sub-menu elementor-nav-menu--dropdown " id="sm-16664632125077314-4" role="group" aria-hidden="true" aria-labelledby="sm-16664632125077314-3" aria-expanded="false" > <li class="menu-item menu-item-type-post_type menu-item-object-page menu-i...
```

29	All forms should have a submission button that is built as an input type "submit" or a "button" element, or include a "role" tag that equals to "button". Buttons can be hidden if the form can be submitted using the Enter key.	No	0	0	-
----	---	----	---	---	---

a description using an "aria-label" attribute and a "role" tag that equals to "contentinfo"

or "main". Landmarks such as search and navigation are tested in other sections.

Code snapshots of some successful elements

```
<main id="main" class="site-main" role="presentation"> <article class="post-6404 page type-page status-publish ast-article-single" id="post-6404" itemtype="https://schema.org/CreativeWork" itemscope="itemscope"> <header class="entry-header ast-header...
```

```
<div data-elementor-type="footer" data-elementor-id="6151" class="elementor-elementor-6151 elementor-location-footer" data-acsb-page-footer="true" role="contentinfo" aria-label="Footer" > <section class="elementor-section elementor-top-section elemen...
```

35	Font sizes should be at least 11px in size in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
36	Letter spacing should not be set to below -1px in order to stay readable in the majority of font families. This should be verified also when using dynamic units such as REM or percents.	Yes	Pass	-	100%
37	Elements that have texts should meet a minimum contrast ratio of 4.5:1 between their foreground (usually text color) and background color.	Yes	216	0	100%

Code snapshots of some successful elements

```
<a href="https://besthigh.tech/" aria-current="page" class="elementor-item elementor-item-active menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true" data-acsb-tooltip="Home" <?php echo esc_html( $url ); > </a>
```



```
<a href="https://besthigh.tech/%d7%a0%d7%a2%d7%99%d7%9d-%d7%9c%d7%94%d7%9b%d7%99%d7%a8/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">???? ????</a>
```

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub-menu " id="sm-16664632124982952-1" aria-controls="sm-16664632124982952-2" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded...
```

```
<a href="#" class="elementor-item elementor-item-anchor menu-link has-sub-menu " id="sm-16664632124982952-3" aria-controls="sm-16664632124982952-4" data-acsb-menu="a" role="button" data-acsb-menu-root-link="true" aria-haspopup="true" aria-expanded...
```

```
<a href="https://besthigh.tech/%d7%aa%d7%99%d7%a7-%d7%a2%d7%91%d7%95%d7%93%d7%95%d7%aa/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">????? ????</a>
```

```
<a href="https://besthigh.tech/%d7%a0%d7%92%d7%99%d7%a9%d7%95%d7%aa-%d7%90%d7%aa%d7%a8%d7%99-%d7%90%d7%99%d7%a0%d7%98%d7%a8%d7%a0%d7%98/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">???????? ???? ????</a>
```

```
<a href="https://besthigh.tech/%d7%91%d7%9c%d7%95%d7%92-%d7%91%d7%a0%d7%99%d7%99%d7%aa-%d7%90%d7%aa%d7%a8%d7%99%d7%9d-%d7%95%d7%a7%d7%99%d7%93%d7%95%d7%9d-%d7%90%d7%aa%d7%a8%d7%99%d7%9d/" class="elementor-item menu-link " data-acsb-menu="a" data-a...
```

```
<a href="https://besthigh.tech/%d7%a1%d7%a8%d7%98%d7%95%d7%a0%d7%99-%d7%aa%d7%93%d7%9e%d7%99%d7%aa-%d7%91%d7%90%d7%a0%d7%99%d7%9e%d7%a6%d7%99%d7%94/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">???? ????</a>
```

```
<a href="https://besthigh.tech/%d7%a6%d7%95%d7%a8-%d7%a7%d7%a9%d7%a8/" class="elementor-item menu-link " data-acsb-menu="a" data-acsb-menu-root-link="true">?? ?</a>
```

```
<h2 class="elementor-heading-title elementor-size-default ">050-4253300</h2>
```

or something else that indicates the functionality, as well as be tagged as a landmark for screen-readers using a "role" tag that equals to "contentinfo".

39	Control elements such as next and previous icons should include an "aria-label" attribute or a screen-reader only text that explains the functionality to screen-readers.	Yes	4	0	100%
----	---	-----	---	---	------

Code snapshots of some successful elements

```
<div class="jet-listing-grid__slider-icon prev-arrow slick-arrow " role="button" style="" tabindex="0" ><span data-="true" " aria-label=" Previous ">Previous</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" da...
```

```
<div class="jet-listing-grid__slider-icon next-arrow slick-arrow " role="button" style="" tabindex="0" ><span data-="true" " aria-label=" Next ">Next</span><svg viewBox="0 0 90 179" xmlns="http://www.w3.org/2000/svg" aria-hidden="true" data-acsb-...
```

40	A common accessibility mistake is to treat carousels as live regions using the "aria-live" attribute and the "polite" or the "assertive values. Using this practice will cause screen-readers to cut and skip announcements.	No	0	0	-
----	--	----	---	---	---

41	Carousel pagination items (usually used as small dots at the bottom of the carousel) should indicate their functionality and slide number they control using an "aria-label" and a screen-reader only text.	No	0	0	-
----	---	----	---	---	---

42	Tables that are being used as layout structures should include a "role" attribute that equals to "presentation" to indicate to screen-readers that it is not really a table.	No	0	0	-
----	--	----	---	---	---

within a table cell), set the nested tables "role" attribute to "presentation".

44	Tables that are missing a THEAD row with TH elements, should include a "role" attribute that equals to "rowheader" on the TD elements of the TR that represents the visual table headings.	No	0	0	-
45	Visually deleted texts (often used to show a previous price of a sale) should include an "aria-label" attribute or a screen-reader only text that explains this is deleted text.	No	0	0	-
46	Breadcrumbs main element should include a "role" attribute that equals to "navigation" and an "aria-label" attribute that describes the functionality."	No	0	0	-
47	Ratings/scores that are represented visually using stars, meters or other indicators should either have an "aria-label" attribute or a screen-reader only texts conveying the score/rate.	No	0	0	-
48	Making use of an accessibility interface helps to ensure that vision impaired users can adjust some of the UI and the design (font-size, colors, spacing, etc.) to their needs. It is not a compliance requirement, but can help to improve compliance.	Yes	Pass	-	100%
49	Iframe elements should include a "title" or an "aria-label" attribute explaining the purpose, the functionality or the destination of the iframe, or be tagged hidden for screen-readers if irrelevant.	Yes	Pass	-	100%

Code snapshots of some successful elements

```
<iframe webkitallowfullscreen="" mozallowfullscreen="" allowfullscreen=""  
id="botIframe" target="_blank" src="https://conversiobotapp.com/webbot/h2  
7VBq" frameborder="0" allow="geolocation" height="100%" width="100%" aria  
-label="Conversiobotapp Iframe...">
```